



## I Dock Order Form

Member Name \_\_\_\_\_ Date \_\_\_\_\_

Slip # \_\_\_\_\_ Phone # \_\_\_\_\_

### Dock Box Order

Check off the desired dock box.

\_\_\_\_\_ Model 700 Jumbo Rectangle Dock Box \$747.48

\_\_\_\_\_ Irving 432 Triangle Dock Box \$517.62

Total \$ \_\_\_\_\_

### Dock Padding Order

Padding comes in 4, 6 and 9 foot lengths.

Check off the desired Padding and mark the location on the diagram.


\_\_\_\_\_ 4 foot \$55.00 How Many? \_\_\_\_\_

Location:  = Upright

\_\_\_\_\_ 6 foot \$75.00 How Many? \_\_\_\_\_

(Suggested length for uprights)

\_\_\_\_\_ 9 foot \$100.00 How Many? \_\_\_\_\_



Notes: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Total \$ \_\_\_\_\_

### Hand Rail Order

\_\_\_\_\_ 4 ft. high x 12 ft. long \$225.00 How Many? \_\_\_\_\_

Total \$ \_\_\_\_\_

### Steps Order

\_\_\_\_\_ 1 Step \$275.00

\_\_\_\_\_ 2 Step \$575.00

\_\_\_\_\_ 3 Step \$980.00

\_\_\_\_\_ 4 Step \$1,285.00

Total \$ \_\_\_\_\_

**Grand Total of All Items Ordered \$** \_\_\_\_\_

\_\_\_\_\_ Please bill my account

My member number is # \_\_\_\_\_

Check is enclosed \_\_\_\_\_

## Dock & Post Bumpers


### Large Dock & Post Bumper



Available in multiple bumper profiles up to 50' in length to fit your exact needs. Male/Female connection ends available with volume orders.



- Will not deteriorate in the sun or mar your boat.
- Polyester textile cover and closed-cell foam inner cushion, NOT vinyl, PVC or rubber.
- Cleans easily with liquid soap and a brush.
- Flexible tab system allows standard "Top-of-Dock" or unique "Fold-Over" mounting which conceals the top row fasteners.
- Flexible enough to mount on curves or around corners.



#### Large Dock & Post Bumper 5 1/2"W x 2 1/4"D

Stock No.	Length
DB4.40	4'
DB4.60	6'
DB4.90	9'

**RECOMMENDED ATTACHMENTS** - To best install your Dock & Post Bumper, drive 1" stainless steel pneumatic staples, 1.25" stainless steel #8 or #10 oval or flat head Phillips screws with stainless finishing washers, or 1.5" large-headed stainless steel or aluminum nails through each tab every 3 to 4 inches.

## Step Dimensions

